

tips & tools

FP03

FEEDBASE AND PASTURES



Improving pasture use with the MLA Pasture Ruler

The MLA Pasture Ruler provides the basis for a quick and easy way to estimate pasture mass (quantity) and quality. These estimates become a guide to the performance you can expect from your grazing animals.

Why assess pasture

Pasture assessment is the key to making better grazing decisions. To get the benefit of feed budgeting you need to know:

- **Quantity:** the mass of pasture available to your livestock; and
- **Quality:** the feed value of your pasture.

From this you can estimate the number of stock you can carry, for how long, and how well they are likely to grow. With feed budgeting you can determine when and how many stock you need to buy or sell with changing seasonal conditions; or alternatively how much supplementary feed will be needed.

Pasture mass (kg green DM/ha)

The quantity of green feed on offer has a big effect on how much pasture an animal can eat. If there is not enough pasture available (ie it is too short), animals spend more time and energy walking and grazing but may not be able to eat enough to achieve the performance you want. In contrast, when there is too much pasture for the number of grazing animals, pasture is wasted and quality declines. This reduces future intake and therefore the future performance of your stock.

The amount of green material present in a pasture is measured as kilograms of green dry matter per hectare (kg green DM/ha). This amount also affects the ability of the pasture to grow to its potential. When pastures are too short, there is insufficient leaf to capture sunlight and the energy for growth. If it is too long the lower leaves are shaded and plant growth declines.


The quantity of green feed on offer is related to a combination of pasture height, pasture density and percentage of dry matter (the non-water component).

Key benefits

- Increase your productivity by making better grazing decisions.
- Better manage stock numbers to increase the utilisation of available pasture.
- Learn to use the MLA Pasture Ruler to predict animal performance and dollar returns.



Figure 2. A guide to digestibility decline as temperate pastures mature



SOURCE: NSW PROGRAZE[®] Manual, NSW Agriculture

Pasture quality and animal needs

When pasture mass is assessed, stock numbers can be managed to increase the utilisation of available pasture as long as the quality and quantity is at or above the minimum benchmark for that class of livestock or performance level.

Pasture quality directly influences animal intake and production. This occurs in two ways:

- by influencing the amount of pasture consumed; and
- through determining how much of the feed consumed is converted into animal product.

There is no single measure of pasture quality. It is a combination of the proportion of legume, green and dead material, and digestibility – all of which affect pasture energy content.

Pasture energy content is the main driver of animal production and is measured as megajoules (MJ) of metabolisable energy (ME) per kilogram of dry matter (and is related to digestibility of the pasture). The higher the quality (and therefore energy content) the less the amount animals need to eat to achieve the same growth rate or level of milk production. Also, pasture of high energy (and therefore digestibility) takes less time to break down and moves quickly through the rumen. This allows more pasture to be eaten and therefore used for production.

Green, actively growing pasture is of the highest quality. Legumes such as clover are of higher quality than grasses at the same stage of development.

Figure 2 shows that as pastures mature the energy available for livestock production declines. This means that as pastures mature, animals need to eat more to achieve the same production level. However, it takes longer to go through the rumen so less pasture is consumed and animal production is reduced.

Developing skills in pasture assessment and feed budgeting enables estimation of the amount of feed available and calculation of the stocking rate for a known grazing period. By using the MLA booklet, *Pasture tools for a profitable beef enterprise* (www.mla.com.au/pasturetoolsbook), you will be able to:

- Estimate stocking rate over short periods;
- Make better tactical grazing decisions about the short-term stocking rate per hectare;
- Plan seasonal pasture and animal performance to achieve targets; and
- Calculate the gross financial benefit to the grazing business.

This information enables the grazing operation to be more precisely managed and is highly applicable and useful to both cattle and sheep producers.

Balancing performance of both pasture and stock

How can quality and quantity of pasture be managed to maximise intake of nutrients by livestock? In general this is achieved by keeping high quality pasture within the band of 1,500 to 2,500 kg green DM/ha for growing cattle and 1,000 to 1,700 kg green DM/ha for growing sheep. Mature sheep and cattle can maintain weight at lower pasture masses than that required for growing stock.

The MLA Pasture Ruler provides guidelines for the combinations of quantity and quality required by different classes of stock. By ensuring the right quantity and quality is available, production targets can be achieved. The table on the MLA Pasture Ruler provides a guide to pasture benchmarks indicating how much green herbage mass is required to satisfy the nutritional requirements of stock at various stages of their reproductive cycle, and for growth. The benchmarks provide 'ball park' estimates for the minimum green pasture mass on which stock can graze and still maintain satisfactory levels of production.

Managing natural resources

Managing pastures for highest pasture and animal productivity is also sound natural resource management. If pasture mass is maintained above a total of 1,000 kg DM/ha (green and dead), the surface movement of water, nutrients and soil is greatly reduced. The percentage of ground cover is also linked to erosion risk and needs to be maintained above 70%. Also, deep drainage of water is least when pastures are growing rapidly.

Grazing pastures between the optimum range of heights indicated on the MLA Pasture Ruler also helps prevent weeds invading pastures. Grazing too short and having too much bare ground can allow broadleaf weeds to invade.

Further information

Skills in pasture and animal assessment can be developed by participating in a MLA *EDGE*network *PROGRAZE*® workshop.

Call 1800 993 343 for more information.



**To order your free
MLA Pasture Ruler
call 1800 675 717**



Level 1, 40 Mount Street,
North Sydney NSW 2060
Tel: +61 2 9463 9333
Fax: +61 2 9463 9393

www.mla.com.au

Revised January 2014

ISBN: 174036 528 3

© Meat & Livestock Australia

ABN 39 081 678 364

This publication is published by Meat & Livestock Australia ABN 39 081 678 364 (MLA). Care is taken to ensure the accuracy of information in the publication, however MLA cannot accept responsibility for the accuracy or completeness of the information or opinions contained in the publication. Readers should make their own enquiries in making decisions concerning their interests. *PROGRAZE*® is a trademark owned by NSW Agriculture.