

Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

Yarding 4920
Change 2090

report date 21/10/2021

comparison date 14/10/2021

It was a mixed yarding with good numbers of very well finished gown steers and heifers along with a fair selection of young cattle to suit the feeder buyers and trade buyers. There were also large numbers of Bos Indicus cows and grown heifers yarded along with large numbers of Bos Indicus weaners suitable for the restockers. The usual field of buyers were in attendance and operating in a solid market.

Young vealers to the trade were fully firm selling to 594c/kg. Steer yearlings to the trade were 10c cheaper on quality while the heifer yearlings were a little dearer. The prime steer yearlings sold from 470c to 530c while the heifer yearlings sold from 480c to 588c/kg. Feeder steers and heifers were firm to 4c dearer with the feeder steers selling from 470c to 600c while the feeder heifers sold from 390c to 576c/kg. Weaners to the restockers remained very strong with young steers to the restockers selling from 600c to 815c while the young heifers sold from 475c to 780c/kg. Young calves to the restockers sold to 900c/kg.

Grown steers and heifers were firm to with the prime grown steers selling from 411c to 510c/kg. Prime grown heifers sold from 430c to 474c/kg. Secondary cows were firm while the prime heavy weights were 3c/kg cheaper. 2 and 3 score cows sold from 280c to 385c while the prime heavy weights sold from 375c to 436c to average 402c/kg. The feeders paid 350c and 387c for cows to feed and the restockers paid from 390c to 430c/kg. Bulls were 20c dearer selling to 360c/kg.

Market Reporter, David Monk

[Click here to view the new and improved Prime Cattle Market Reports](#)

Category	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+														
	RS	C	2	4	900.0	900.0	900.0	60	-		0	855	855	855
	RS	C	3	1	830.0	830.0	830.0	230	-		0	706	706	706
			5		830.0	900.0			0	0		706	855	
Vealer Steer														
200-280														
	RS	C	2	43	746.0	815.0	766.7	N/Q	-		0	1679	2160	1,767
280-330														
	FD	C	2	2	516.0	516.0	516.0	N/Q	-		0	1677	1677	1,677
	FD	C	3	11	500.0	500.0	500.0	N/Q	-		0	1625	1625	1,625
	RS	C	2	69	662.0	706.0	693.9	N/Q	-		0	1920	2295	2,160
	RS	C	3	7	600.0	609.0	607.7	N/Q	-		0	1710	1736	1,732
330+														
	FD	C	3	18	556.0	556.0	556.0	N/Q	-		0	2141	2141	2,141
	PR	C	3	4	578.0	594.0	590.0	N/Q	1,032	1,061	1,054	1994	2168	2,125
	RS	C	3	1	600.0	600.0	600.0	14	-		0	2070	2070	2,070
			155		500.0	815.0			1,032	1,061		1625	2295	
Vealer Heifer														
0-200														
	RS	C	2	44	475.0	776.0	633.3	13	-		0	787	1436	1,151
200-280														
	RS	C	2	96	660.0	780.0	695.6	55	-		0	1488	1716	1,550
280-330														

Category Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head					
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg			
330+	RS	C	2	48	550.0	-	675.0	612.0	N/Q	-	0	1568	-	1996	1,826		
	RS	C	3	29	522.0	-	526.0	522.1	N/Q	-	0	1552	-	1644	1,641		
	FD	C	3	13	550.0	-	550.0	550.0	N/Q	-	0	2008	-	2008	2,008		
	PR	C	2	15	580.0	-	580.0	580.0	N/Q	1,160	-	1,160	1,160	2001	-	2001	2,001
	PR	C	3	1	594.0	-	594.0	594.0	29	1,061	-	1,061	1,061	2228	-	2228	2,228
	RS	C	3	34	580.0	-	610.0	592.4	N/Q	-	0	1943	-	2105	2,039		
					280	475.0	780.0		1,061	1,160		787	2228				
Yearling Steer																	
200-280																	
280-330	RS	D	2	22	490.0	-	695.0	541.6	N/Q	-	0	1201	-	1494	1,280		
	FD	C	2	7	566.0	-	566.0	566.0	N/Q	-	0	1868	-	1868	1,868		
	RS	C	2	34	595.0	-	700.0	638.6	-57	-	0	1845	-	2170	2,044		
330-400	RS	D	3	35	500.0	-	522.0	510.1	76	-	0	1550	-	1697	1,617		
	FD	C	2	53	500.0	-	600.0	587.4	2	-	0	1725	-	2264	2,205		
	FD	C	3	25	547.0	-	560.0	551.7	-7	-	0	2044	-	2106	2,084		
	PR	C	3	1	505.0	-	505.0	505.0	-83	918	-	918	918	1944	-	1944	1,944
	RS	C	2	121	532.0	-	690.0	609.9	10	-	0	2048	-	2381	2,224		
	RS	C	3	46	550.0	-	676.0	633.2	30	-	0	2118	-	2452	2,381		
	RS	D	3	11	489.0	-	489.0	489.0	41	-	0	1687	-	1687	1,687		
					1315	450.0	700.0		825	946		1201	2915				
400+																	
400+	FD	C	2	64	544.0	-	596.0	566.8	10	-	0	2338	-	2554	2,466		
	FD	C	3	779	470.0	-	600.0	559.9	4	-	0	2251	-	2915	2,653		
	FD	D	3	40	506.0	-	506.0	506.0	N/Q	-	0	2454	-	2454	2,454		
	PR	C	3	61	470.0	-	530.0	503.0	-21	825	-	946	919	2210	-	2783	2,674
	PR	D	3	5	450.0	-	450.0	450.0	N/C	833	-	833	833	1913	-	1913	1,913
	RS	C	3	11	500.0	-	586.0	507.8	-72	-	0	2125	-	2491	2,158		
					1315	450.0	700.0		825	946		1201	2915				
Yearling Heifer																	
200-280																	
280-330	PR	D	3	6	475.0	-	475.0	475.0	N/Q	950	-	950	950	1259	-	1259	1,259
	FD	D	3	13	460.0	-	460.0	460.0	41	-	0	1495	-	1495	1,495		
	RS	D	3	133	416.0	-	494.0	464.9	37	-	0	1352	-	1606	1,471		
330-400	FD	C	2	24	538.0	-	556.0	543.3	-3	-	0	2029	-	2071	2,059		
	FD	C	3	38	450.0	-	576.0	529.5	-12	-	0	1733	-	2218	2,009		
	FD	D	3	230	390.0	-	516.0	462.7	29	-	0	1421	-	1883	1,717		
	PR	C	3	1	588.0	-	588.0	588.0	32	1,050	-	1,050	1,050	2264	-	2264	2,264
	RS	C	2	10	585.0	-	585.0	585.0	15	-	0	2194	-	2194	2,194		
	RS	D	3	37	464.0	-	464.0	464.0	-26	-	0	1578	-	1578	1,578		
400+																	

Category Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	C	3	86	468.0	- 568.0	536.1	-11	-	-	0	2129	- 2537	2,385
	FD	D	3	14	444.0	- 444.0	444.0	-23	-	-	0	1887	- 1887	1,887
	PR	C	3	40	480.0	- 570.0	536.4	33	857	- 1,036	979	2288	- 2423	2,338
	PR	D	4	10	478.0	- 478.0	478.0	N/Q	956	- 956	956	2318	- 2318	2,318
	RS	C	3	4	548.0	- 548.0	548.0	N/Q	-	-	0	2329	- 2329	2,329
				646	390.0	588.0			857	1,050		1259	2537	
Grown Steer														
400-500														
	FD	C	3	17	434.0	- 434.0	434.0	N/Q	-	-	0	2105	- 2105	2,105
	PR	C	3	6	420.0	- 420.0	420.0	N/Q	792	- 792	792	2037	- 2037	2,037
	PR	C	4	25	426.0	- 500.0	485.2	28	789	- 926	897	2066	- 2375	2,317
500-600														
	FD	C	3	18	440.0	- 478.0	452.7	-67	-	-	0	2244	- 2510	2,333
	FD	C	4	21	490.0	- 500.0	491.4	N/Q	-	-	0	2573	- 2725	2,594
	FD	D	3	28	480.0	- 480.0	480.0	N/Q	-	-	0	2448	- 2448	2,448
	PR	C	4	110	425.0	- 510.0	458.8	32	759	- 911	830	2316	- 2796	2,584
600-750														
	PR	C	4	70	440.0	- 470.0	449.1	-17	786	- 855	808	2800	- 3278	2,995
750+														
	PR	C	4	2	411.0	- 411.0	411.0	N/Q	734	- 734	734	3596	- 3596	3,596
				297	411.0	510.0			734	926		2037	3596	
Grown Heifer														
0-540														
	FD	C	2	5	468.0	- 468.0	468.0	-46	-	-	0	2176	- 2176	2,176
	FD	C	3	6	430.0	- 514.0	500.0	N/Q	-	-	0	2258	- 2287	2,282
	PR	C	4	67	446.0	- 480.0	475.0	28	826	- 870	856	2163	- 2520	2,447
	PR	D	3	14	380.0	- 380.0	380.0	8	792	- 792	792	1577	- 1577	1,577
	PR	D	4	7	396.0	- 396.0	396.0	N/Q	733	- 733	733	1921	- 1921	1,921
540+														
	FD	C	4	17	490.0	- 490.0	490.0	N/Q	-	-	0	2671	- 2671	2,671
	PR	C	4	221	430.0	- 474.0	453.4	-2	782	- 863	811	2398	- 3099	2,566
				337	380.0	514.0			733	870		1577	3099	
Manufacturing Steer														
540+														
	PR	D	4	6	390.0	- 448.0	438.3	34	722	- 862	838	3069	- 3705	3,175
				6	390.0	448.0			722	862		3069	3705	
Cows														
0-400														
	PR	D	2	13	300.0	- 322.0	318.6	N/Q	682	- 732	724	1155	- 1240	1,227
400-520														
	FD	D	3	32	387.0	- 387.0	387.0	N/Q	-	-	0	1877	- 1877	1,877
	PR	D	2	7	280.0	- 280.0	280.0	-34	636	- 636	636	1148	- 1148	1,148
	PR	D	3	165	336.0	- 385.0	360.3	-0	719	- 819	769	1466	- 1829	1,644
	RS	D	3	30	390.0	- 397.0	394.2	N/Q	-	-	0	1775	- 1925	1,865

Category Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
520+														
	FD	D	3	3	350.0	- 350.0	350.0	N/Q	-		0	1908	- 1908	1,908
	PR	D	3	19	280.0	- 380.0	343.2	-19	596	- 809	730	1610	- 2071	1,897
	PR	D	4	349	375.0	- 436.0	402.1	-3	750	- 852	804	2048	- 3161	2,543
	PR	D	5	4	388.0	- 388.0	388.0	N/Q	776	- 776	776	3395	- 3395	3,395
	RS	D	4	21	430.0	- 430.0	430.0	N/Q	-		0	2688	- 2688	2,688
				643	280.0	436.0			596	852		1148	3395	
Bulls														
0-450														
	FD	D	3	4	370.0	- 370.0	370.0	N/Q	-		0	1425	- 1425	1,425
	RS	C	2	101	570.0	- 732.0	668.1	139	-		0	915	- 2438	1,856
	RS	C	3	2	350.0	- 350.0	350.0	N/Q	-		0	1313	- 1313	1,313
	RS	D	3	14	450.0	- 540.0	527.1	N/Q	-		0	1269	- 1733	1,335
450-600														
	FD	C	3	12	350.0	- 350.0	350.0	N/Q	-		0	1628	- 1628	1,628
	PR	C	2	1	315.0	- 315.0	315.0	N/Q	594	- 594	594	1433	- 1433	1,433
600+														
	PR	B	3	7	310.0	- 360.0	347.0	21	534	- 641	586	2685	- 4698	3,454
	PR	C	3	11	310.0	- 344.0	329.5	11	554	- 614	588	2187	- 3643	2,662
	RS	C	3	1	299.0	- 299.0	299.0	N/Q	-		0	3812	- 3812	3,812
				153	299.0	732.0			534	641		915	4698	

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2021. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

