Store Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 19/03/2021

Yarding 2000

comparison date 19/02/2021

Change 1680

Consignments lifted for a generally good yarding of store cattle, with most buyers able to select ample numbers to suit their orders. The vealer steers and yearling heifers were well supplied with a fair penning of cow and calf units also offered. Large runs were from the far west and northern regions and carried Bos Indicus blood, however in most cases the mix was good. There was a large gallery of buyers competing and all categories sold to very solid demand.

The over 200kg weaner steers ranged from $920 to $1,545/head depending on the breed and received an estimated 418c to 689c/kg lwt. The same weight weaner heifers received from $1,050 to $1,490/head or an estimated 477c to 635c/kg lwt. The better run of yearling steers made from $1,200 to $1,670/head and an estimated 480c to 507c/kg lwt. Yearling heifers received from $830 for the plainer drafts to $1,600/head for the better bred popular breeds.

The PTIC heifers were generally of good quality and these ranged from $1,600 to $2,100/head. The PTIC cows made from $1,400 to $2,100/head, the latter for the heavy weights. The well supplied cows with the older calves received from $1,700 to $3,200/unit. The older heifers suitable for breeding sold for $1,730/head.

Category Weight Range	Breed	Sub Breed	Muscle Score*	Fat Score*	Head	Low c/kg	High c/kg	Average c/kg	Low $/head	High $/head	Average $/head
Weaner Steers											
0-200											
	Angus		C	2	9	617	617	617	1110.0	1110.0	1110.0
	Black Baldy		C	2	8	633	633	633	1140.0	1140.0	1140.0
	Cross Bred		C	1	6	541	650	596	780.0	920.0	850.0
	Hereford		C	2	13	689	689	689	1240.0	1240.0	1240.0
	Santa Gertrudis		C	2	11	672	672	672	1210.0	1210.0	1210.0
200-280											
	Angus		C	2	150	602	636	621	1360.0	1475.0	1423.4
	Black Baldy		C	2	35	613	618	616	1410.0	1545.0	1498.7
	Bos Indicus Cross		C	2	58	460	604	588	1150.0	1450.0	1400.7
	Cross Bred		C	2	59	418	591	516	920.0	1400.0	1190.3
	European Cross		C	2	26	514	592	550	1420.0	1460.0	1449.2
	Hereford		C	2	29	535	639	614	1390.0	1405.0	1401.4
	Santa Gertrudis		C	2	6	550	550	550	1430.0	1430.0	1430.0
280-330											
	Bos Indicus Cross		C	2	62	455	500	480	1320.0	1500.0	1422.9
	European Cross		C	2	15	487	487	487	1510.0	1510.0	1510.0
					487	418	689		780.0	1545.0	
Weaner Heifers											
0-200											
	Black Baldy		C	1	11	558	558	558	1060.0	1060.0	1060.0
	Bos Indicus Cross		D	2	7	478	478	478	860.0	860.0	860.0
	Murray Grey		C	1	7	546	546	546	1010.0	1010.0	1010.0
200-280											
	Angus		C	2	42	496	544	522	1225.0	1340.0	1295.0
	Black Baldy		C	2	9	548	548	548	1260.0	1260.0	1260.0
	Bos Indicus Cross		C	2	89	477	635	583	1050.0	1490.0	1397.8
	European Cross		C	2	9	495	495	495	1090.0	1090.0	1090.0
	Hereford		C	2	8	509	509	509	1120.0	1120.0	1120.0
	Santa Gertrudis		C	2	7	541	541	541	1110.0	1110.0	1110.0
					189	477	635		860.0	1490.0	
Yearling Steers											
0-330											

© 2021 Meat and Livestock Australia Limited

Category Weight Range	Breed	Sub Breed	Muscle Score*	Fat Score*	Head	Low c/kg	High c/kg	Average c/kg	Low $/head	High $/head	Average $/head
	Angus		C	1	4	498	498	498	1195.0	1195.0	1195.0
	Angus		C	2	119	469	507	497	1480.0	1670.0	1576.6
	Black Baldy		C	2	33	480	497	495	1200.0	1590.0	1554.5
	Bos Indicus Cross		C	2	37	463	488	483	1390.0	1560.0	1527.8
	Bos Indicus Cross		D	2	5	313	374	362	860.0	1120.0	940.0
	Cross Bred		D	2	4	331	357	338	1060.0	1070.0	1062.5
	European Cross		C	2	34	491	492	492	1620.0	1625.0	1622.2
	Hereford		C	2	22	521	521	521	1460.0	1460.0	1460.0
330-400											
	Cross Bred		C	2	3	435	435	435	1480.0	1480.0	1480.0
					261	313	521		860.0	1670.0	
Yearling Heifers											
0-330											
	Angus		C	2	19	447	476	459	1285.0	1340.0	1316.8
	Bos Indicus Cross		C	2	41	400	530	504	1200.0	1510.0	1449.5
	Bos Indicus Cross		D	2	30	361	413	371	830.0	1280.0	908.0
	Cross Bred		C	2	17	456	462	459	1140.0	1200.0	1171.8
	Cross Bred		D	2	7	385	385	385	1000.0	1000.0	1000.0
	European Cross		C	2	28	491	500	497	1400.0	1600.0	1535.7
	Hereford		C	2	160	470	540	514	1200.0	1450.0	1386.7
330-400											
	Angus		C	2	42	419	441	431	1500.0	1550.0	1523.8
	Black Baldy		C	2	17	395	395	395	1500.0	1500.0	1500.0
	Cross Bred		C	2	7	400	400	400	1400.0	1400.0	1400.0
400+											
	Cross Bred		C	3	2	385	385	385	1580.0	1580.0	1580.0
					370	361	540		830.0	1600.0	
PTIC Heifers											
350-550											
	Angus		C	2	6	449	449	449	1820.0	1820.0	1820.0
	Angus		C	3	17	488	488	488	2000.0	2000.0	2000.0
	Bos Indicus Cross		C	2	19	393	393	393	1690.0	1690.0	1690.0
	Cross Bred		C	3	5	395	395	395	1600.0	1600.0	1600.0
	European Cross		C	3	12	415	415	415	1700.0	1700.0	1700.0
	Hereford		C	3	15	360	360	360	1980.0	1980.0	1980.0
550-800											
	Hereford		C	3	12	354	354	354	1980.0	1980.0	1980.0
	Hereford		C	4	18	350	350	350	2100.0	2100.0	2100.0
					104	350	488		1600.0	2100.0	
PTIC Cows											
400-550											
	Bos Indicus Cross		D	2	25	329	331	330	1580.0	1820.0	1724.0
	Cross Bred		D	2	4	316	316	316	1420.0	1420.0	1420.0
	European Cross		D	2	19	305	326	317	1400.0	1675.0	1515.8
550+											
	Bos Indicus Cross		D	2	15	264	281	268	1600.0	1600.0	1600.0
	Bos Indicus Cross		D	3	18	271	271	271	1625.0	1625.0	1625.0
	European Cross		D	2	13	350	350	350	2100.0	2100.0	2100.0
	European Cross		D	3	22	325	333	330	1950.0	2100.0	2038.6
	European Cross		D	4	2	264	264	264	1900.0	1900.0	1900.0
	Hereford		D	5	5	281	281	281	1880.0	1880.0	1880.0
	Santa Gertrudis		D	3	13	294	294	294	1940.0	1940.0	1940.0
					136	264	350		1400.0	2100.0	
Cows											
0-400											
	Bos Indicus Cross		D	2	40	289	336	311	1010.0	1310.0	1154.0

© 2021 Meat and Livestock Australia Limited

Category Weight Range	Breed	Sub Breed	Muscle Score*	Fat Score*	Head	Low c/kg	High c/kg	Average c/kg	Low $/head	High $/head	Average $/head
	European Cross		D	2	3	337	337	337	1280.0	1280.0	1280.0
400-550											
	Angus		D	1	15	300	300	300	1320.0	1320.0	1320.0
	Bos Indicus Cross		D	2	5	293	293	293	1610.0	1610.0	1610.0
	European Cross		D	2	65	317	340	326	1460.0	1710.0	1615.1
					128	289	340		1010.0	1710.0	
Cows & Calves <2 mths											
0-400											
	Angus		D	2	1	284	284	284	1080.0	1080.0	1080.0
400-550											
	European Cross		D	2	1	517	517	517	2225.0	2225.0	2225.0
	Hereford		D	3	17	464	464	464	2550.0	2550.0	2550.0
550+											
	Angus		C	3	1	461	461	461	2860.0	2860.0	2860.0
					20	284	517		1080.0	2860.0	
Cows & Calves 2-4 mths											
0-400											
	Bos Indicus Cross		D	2	50	484	495	487	1840.0	1880.0	1850.4
	Cross Bred		D	2	2	486	486	486	1700.0	1700.0	1700.0
400-550											
	Bos Indicus Cross		D	2	95	571	744	629	2625.0	3200.0	2853.7
	Cross Bred		D	2	15	570	614	590	2450.0	2700.0	2566.7
	European Cross		D	2	10	605	605	605	2600.0	2600.0	2600.0
	Hereford		D	2	52	578	598	584	2600.0	2750.0	2668.7
	Santa Gertrudis		D	2	9	595	595	595	2975.0	2975.0	2975.0
550+											
	Angus		D	4	21	384	444	407	2725.0	2755.0	2736.4
	Black Baldy		D	4	4	452	452	452	2940.0	2940.0	2940.0
	Black Baldy		D	5	1	371	371	371	2600.0	2600.0	2600.0
	Bos Indicus Cross		D	3	15	463	463	463	2825.0	2825.0	2825.0
	Hereford		D	4	11	460	460	460	2670.0	2670.0	2670.0
					285	371	744		1700.0	3200.0	
Feeder Steers											
320-400											
	Hereford		D	2	1	334	334	334	1170.0	1170.0	1170.0
					1	334	334		1170.0	1170.0	
Feeder Heifers											
400+											
	Hereford		C	3	29	402	402	402	1730.0	1730.0	1730.0
					29	402	402		1730.0	1730.0	

* N/A indicates that supporting animal assessment data was not available at time of publishing

Disclaimer:

© MLA 2021. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.