

Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

Dubbo

report date 03/06/2021

 Yarding 1780
 Change -715

comparison date 27/05/2021

Numbers were back by 700 for a yarding of 1,780. It was a mixed yarding with some good runs of well finished cows along with some secondary cows that had just weaned calves. There was a fair selection of young cattle to suit the trade but very few young cattle to suit the feeders. There was also a fair selection of grown steers and heifers as well as the expected runs of Bos Indicus cattle. Most of the usual buyers were in attendance and operating.

Young cattle to the trade were 8c dearer with prime vealers selling to 500c/kg. Prime steer yearlings sold from 410c to 490c while the prime heifer yearlings sold from 410c to 496c/kg. Feeder cattle were around firm with the feeder steers selling from 378c to 466c while the feeder heifers sold from 400c to 462c/kg. Young cattle to the restockers were very strong with the young steers selling from 450c to 682c while the young heifers sold from 388c to 590c/kg. Grown steers and heifers were up to 12c dearer with the prime grown steers selling from 330c to 425c while the grown heifers sold from 360c to 414c/kg. Bos Indicus heifers to feeders and restockers sold from 315c to 388c/kg.

Plainer conditioned cows were cheaper while the better heavy weight cows were firm. Score 2 and 3 cows sold from 220c to 318c to the feeders and 294c/kg to the processors. Prime heavy weight cows sold from 290c to 323c to average 311c/kg. Heavy bulls sold from 285c to 315c/kg.

Market Reporter, David Monk.

[Click here to view the new and improved Prime Cattle Market Reports](#)

Category	Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves															
80+															
		RS	C	2	2	590.0	590.0	590.0	-60	-	0	738	738	738	
					2	590.0	590.0			0	0	738	738		
Vealer Steer															
0-200															
		RS	C	2	16	584.0	682.0	636.8	116	-	0	989	1022	1,007	
200-280															
		RS	C	2	11	450.0	590.0	542.9	28	-	0	1058	1446	1,302	
330+															
		PR	C	3	16	400.0	497.0	476.2	62	714	936	884	1540	1814	1,735
					43	400.0	682.0			714	936	989	1814		
Vealer Heifer															
0-200															
		PR	C	2	1	476.0	476.0	476.0	N/Q	898	898	898	785	785	785
		RS	C	2	14	498.0	590.0	567.9	19	-	0	822	1092	1,027	
		RS	D	3	7	388.0	388.0	388.0	N/Q	-	0	718	718	718	
200-280															
		RS	C	2	17	508.0	555.0	519.5	27	-	0	1067	1336	1,242	
280-330															
		PR	C	3	1	468.0	468.0	468.0	23	836	836	836	1381	1381	1,381
		RS	C	2	1	470.0	470.0	470.0	N/Q	-	0	1340	1340	1,340	
330+															
		FD	C	3	1	380.0	380.0	380.0	N/Q	-	0	1615	1615	1,615	
		PR	C	3	25	448.0	500.0	472.0	N/Q	800	851	831	1661	1998	1,744
					67	380.0	590.0			800	898	718	1998		

Category Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Yearling Steer														
280-330														
	FD	C	2	4	442.0	- 442.0	442.0	-10	-	0	1437	- 1437	1,437	
	PR	C	3	1	470.0	- 470.0	470.0	N/Q	839	- 839	839	1551	- 1551	1,551
	RS	C	2	23	442.0	- 512.0	470.1	N/Q	-	0	1437	- 1664	1,516	
	RS	D	3	24	370.0	- 416.0	383.4	N/Q	-	0	1184	- 1352	1,233	
330-400														
	FD	C	2	22	378.0	- 464.0	436.5	-5	-	0	1304	- 1717	1,639	
	FD	C	3	9	454.0	- 466.0	463.8	-3	-	0	1694	- 1841	1,765	
	PR	C	3	1	450.0	- 450.0	450.0	-8	804	- 804	804	1778	- 1778	1,778
	RS	C	2	24	460.0	- 538.0	485.8	38	-	0	1587	- 1887	1,689	
	RS	C	3	4	500.0	- 500.0	500.0	45	-	0	1825	- 1825	1,825	
	RS	D	3	11	396.0	- 438.0	430.4	N/Q	-	0	1327	- 1511	1,478	
400+														
	FD	C	2	8	442.0	- 442.0	442.0	-2	-	0	1812	- 1812	1,812	
	FD	C	3	58	430.0	- 462.0	445.0	11	-	0	1914	- 2518	2,133	
	PR	C	3	8	410.0	- 490.0	455.0	14	732	- 896	823	1785	- 2230	2,031
				197	370.0	538.0			732	896		1184	2518	
Yearling Heifer														
200-280														
	RS	D	3	8	350.0	- 350.0	350.0	N/Q	-	0	858	- 858	858	
280-330														
	PR	C	3	8	462.0	- 462.0	462.0	N/Q	888	- 888	888	1478	- 1478	1,478
	RS	C	2	27	390.0	- 478.0	436.2	N/Q	-	0	1229	- 1506	1,333	
	RS	D	3	51	302.0	- 418.0	377.7	N/Q	-	0	891	- 1191	1,087	
330-400														
	FD	C	2	33	440.0	- 462.0	455.3	-24	-	0	1587	- 1650	1,594	
	FD	C	3	18	400.0	- 458.0	446.1	-1	-	0	1540	- 1733	1,682	
	PR	C	3	36	410.0	- 460.0	445.1	-12	737	- 843	830	1415	- 1725	1,576
	RS	D	3	13	335.0	- 335.0	335.0	N/Q	-	0	1189	- 1189	1,189	
400+														
	FD	C	2	17	420.0	- 442.0	431.2	N/Q	-	0	1785	- 1923	1,866	
	FD	C	3	19	419.0	- 450.0	432.6	N/Q	-	0	1718	- 1913	1,815	
	PR	C	3	44	410.0	- 496.0	451.3	22	732	- 900	813	1862	- 2207	2,018
				274	302.0	496.0			732	900		858	2207	
Grown Steer														
0-400														
	RS	D	3	2	340.0	- 340.0	340.0	N/Q	-	0	935	- 935	935	
400-500														
	FD	C	2	5	468.0	- 468.0	468.0	72	-	0	1919	- 1919	1,919	
	FD	C	3	29	372.0	- 458.0	404.5	-20	-	0	1730	- 2130	1,936	
	PR	C	3	10	358.0	- 388.0	373.0	-47	675	- 732	704	1649	- 1701	1,675
500-600														
	FD	C	3	11	437.0	- 437.0	437.0	17	-	0	2251	- 2251	2,251	

Category Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
600-750	FD	C	4	11	413.0	415.0	414.5	N/Q	-	0	2251	2345	2,319	
	PR	C	4	33	330.0	425.0	410.1	17	589	754	727	1865	2486	2,311
	PR	C	4	32	386.0	408.0	400.3	N/C	689	729	715	2500	2754	2,681
750+	PR	C	4	6	355.0	380.0	363.3	N/Q	634	679	651	2716	2907	2,815
				139	330.0	468.0			589	754		935	2907	
Grown Heifer														
0-540														
	FD	C	2	2	388.0	388.0	388.0	N/Q	-	0	1455	1455	1,455	
	FD	D	2	18	346.0	346.0	346.0	N/Q	-	0	1436	1436	1,436	
	FD	D	3	76	316.0	388.0	348.9	N/Q	-	0	1205	1843	1,476	
	PR	C	3	1	373.0	373.0	373.0	-20	704	704	704	1585	1585	1,585
	PR	C	4	6	360.0	398.0	380.7	N/Q	667	711	692	1890	2090	1,999
	PR	D	2	9	310.0	310.0	310.0	N/Q	660	660	660	1163	1163	1,163
	PR	D	3	37	300.0	363.0	325.7	-29	638	708	667	1035	1652	1,337
	RS	D	3	45	315.0	388.0	363.2	N/Q	-	0	1292	1416	1,385	
540+	FD	D	4	2	378.0	378.0	378.0	N/Q	-	0	2060	2060	2,060	
	PR	C	4	9	360.0	414.0	385.1	3	664	767	699	2106	2511	2,313
	PR	D	4	5	338.0	338.0	338.0	N/Q	676	676	676	1842	1842	1,842
				210	300.0	414.0			638	767		1035	2511	
Manufacturing Steer														
540+														
	PR	D	3	4	292.0	320.0	299.0	N/Q	621	667	633	1708	2384	1,877
				4	292.0	320.0			621	667		1708	2384	
Cows														
0-400														
	PR	D	1	2	160.0	160.0	160.0	N/Q	381	381	381	616	616	616
	PR	D	2	6	224.0	224.0	224.0	-58	509	509	509	840	840	840
	RS	D	2	11	287.0	287.0	287.0	N/Q	-	0	1105	1105	1,105	
400-520	FD	D	3	57	312.0	318.0	317.8	N/Q	-	0	1447	1482	1,448	
	PR	D	2	3	220.0	220.0	220.0	-49	500	500	500	1023	1023	1,023
	PR	D	3	18	272.0	278.0	275.7	-21	579	591	587	1265	1319	1,286
520+	FD	D	3	25	313.0	313.0	313.0	N/Q	-	0	1643	1643	1,643	
	FD	D	4	7	308.0	308.0	308.0	N/Q	-	0	1802	1802	1,802	
	PR	D	3	10	280.0	294.0	290.4	-22	596	626	618	1523	1656	1,553
	PR	D	4	118	290.0	323.0	311.1	-1	580	646	620	1586	2471	1,974
				257	160.0	323.0			381	646		616	2471	
Bulls														
0-450														
	FD	C	2	1	300.0	300.0	300.0	-55	-	0	1275	1275	1,275	

[Click here to view the new and improved Prime Cattle Market Reports](#)

Category Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
450-600	RS	C	2	4	440.0	550.0	467.5	N/Q	-	0	1166	1458	1,239	
	PR	C	3	7	289.0	380.0	302.0	N/Q	516	679	539	1691	2,223	1,767
600+	PR	B	3	20	285.0	315.0	310.5	-2	471	554	511	1952	3701	3,248
	PR	C	3	25	290.0	310.0	302.4	-10	537	574	545	2031	2333	2,275
				57	285.0	550.0			471	679		1166	3701	

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2021. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

