



1800 111 672

msaenquiries@mla.com.au

MSA eligible sheep categories:

Category	Dentition	Description	Minimum HSCW (Kg)
Young Lamb *YL* Up to 5 months only	0	Carcase derived from female or castrate male ovine that: • has 0 permanent incisor teeth (in addition): • has no eruption of permanent upper molar teeth	≥16kg
Lamb *L* 12 months (approx.)	0	Female, castrate or entire male animal that: • has 0 permanent incisor teeth	≥18kg
Hogget *H* or Yearling Mutton 10 to 18 months	1–2	Carcase derived from female or castrate male ovine that: • has 1 but no more than 2 permanent incisor teeth • in male has no evidence of secondary sexual characteristics (SSC)	≥18kg
Mutton *M* Over 10 months	1-8	Female or castrate male animal that: • has at least one (1) permanent incisor tooth • in male has no evidence of secondary sexual characteristics (SSC)	≥18kg

Buy and sell MSA sheep & lambs



Published August 2018



Checklist to consigning MSA sheep and lambs

\Box	Animals must be sourced from a registered MSA producer.
ш.	Visit www.mla.com.au/msa to complete online registration providing
	immediate accreditation or download a registration form which will require
	7 working days for processing.

- National Vendor Declaration (Sheep and Lambs) to be correctly filled out and accompany consignment to saleyards or processor.
- Include your MSA Producer Registration Number in Part A, question 7, on the NVD.
- Ensure transporters complete Section B of the NVD with details of when transport commenced.
- Sheep to be processed no later than 48 hours off feed (including on-farm curfew, transport and lairage).
- Minimum of 2 weeks at consignment property before dispatch.

- Minimum fat score 2 (≥ than 6mm).
- Sheep not to be shorn within 2 weeks prior to processing.
- Access to water at all times other than time required for sale.
- Recommended growth rates of a minimum of 100 grams/day for 2 weeks prior to consignment.
- Minimise animal stress.

Use low stress handling and transport. Do not consign animals with sickness or severe signs of stress. Minimise the time between mustering and slaughter.

Recommendation to prevent mixing and drafting of animals within 2 weeks of consignment.